

पावर ग्रिड कारपोरेशन ऑफ इंडिया लिमिटेड  
(भारत सरकार का उद्यम)



**POWER GRID CORPORATION OF INDIA LIMITED** पावरग्रिड  
(A Government of India Enterprise)

केन्द्रीय कार्यालय : "सौदामिनी" प्लॉट सं. 2, सैक्टर-29, गुडगाँव-122 001, हरियाणा  
फोन : 2571700 - 719, फैक्स : 2571760, 2571761 तार 'नेटग्रिड'  
Corporate Office : "Saudamini" Plot No. 2, Sector-29, Gurgaon-122 001. Haryana  
Tel. : 2571700 - 719, Fax : 2571760, 2571761 Gram : 'NATGRID'

C/QA&I/NC/Krishna Steel/2019/01

Date : 03.09.2019

**KRISHNA GLOBAL TRANSENERGY LIMITED.**

Sy.no.222, Sihor Ghangli Road, Near GIDC IV,  
Bhavnagar, Gujarat.

**Sub : Regarding Change of name of M/s KRISHNA STEEL PRODUCT, Bhavnagar, Gujarat.**

Dear Sir,

This has reference to your mail dated 26.07.2019 on the subject matter. Based on submitted documents, we have noted change of name of M/s Krishna Steel Product as M/s Krishna Global Transenergy Ltd and accordingly changes are incorporated in Compendium of Vendors & Manufacturer code.

Yours faithfully,

(M.K.Gupta)  
GM(QA&I)

पावर ग्रिड कारपोरेशन ऑफ इंडिया लिमिटेड  
(भारत सरकार का उद्यम)



**POWER GRID CORPORATION OF INDIA LIMITED**  
(A Government of India Enterprise)

पावरग्रिड

केन्द्रीय कार्यालय : "सौदामिनी" प्लॉट सं. 2, सेक्टर-29, गुडगाँव-122 001, हरियाणा  
फोन : 2571700 - 719, फैक्स : 2571760, 2571761 तार 'नेटग्रिड'  
Corporate Office : "Saudamini" Plot No. 2, Sector-29, Gurgaon-122 001, Haryana  
Tel. : 2571700 - 719, Fax : 2571760, 2571761 Gram : 'NATGRID'

Ref: C/QA&I/VA/ Krishna

Date: 31.07.2018

Krishna Steel Product  
Sy No 222, Sihor Ghangli Road,  
Near GIDC IV, Bhavnagar, Gujarat

**Subject: Approval of Krishna Steel Product, Bhavnagar for rolling MS & HT angle sections**

Dear Sir,

This has reference to the subject matter. Based on the submitted documents and verification of rolling of 150x150x20 mm angle sections, we convey approval of M/s Krishna Steel Product, Bhavnagar for rolling MS & HT angle sections as follows **up to 31.07.2021**. Further approval shall be considered based on supply and quality performance.

SI No	Angle Grade	Section Size
1	MS-E250 & HT-E350	Equal 45x45x4 mm to 150x150x20 mm

Following points are to be ensured:

- 13) Steel billets/ blooms/ slabs are strictly from POWERGRID approved sources.
- 14) Materials shall be rolled in line with the requirement of IS 2062 / POWERGRID Specification/ approved standard reroller MQP
- 15) Proper quality system to avoid mix up of POWERGRID & non POWERGRID lots and record keeping for traceability from raw material to final product.
- 16) 'PGMS' marking shall be embossed on rolled MS angle sections and 'PGHT' marking shall be embossed on rolled HT angle sections for POWERGRID apart from your own logo at regular intervals.

Yours faithfully,

(S.K. Pandey)  
Asst. GM ( QA & I)

पावर ग्रिड कारपोरेशन ऑफ इंडिया लिमिटेड  
(भारत सरकार का उद्यम)



**POWER GRID CORPORATION OF INDIA LIMITED**  
(A Government of India Enterprise)

पावरग्रिड

केन्द्रीय कार्यालय : "सौदामिनी" प्लॉट सं. 2, सेक्टर-29, गुडगाँव-122 001, हरियाणा  
फोन : 2571700 - 719, फैक्स : 2571760, 2571761 तार 'नेटग्रिड'  
Corporate Office : "Saudamini" Plot No. 2, Sector-29, Gurgaon-122 001, Haryana  
Tel. : 2571700 - 719, Fax : 2571760, 2571761 Gram : 'NATGRID'

Ref: C/QA&I/VA/ Krishna

Date: 31.07.2018

Krishna Steel Product  
Sy No 222, Sihor Ghangli Road,  
Near GIDC IV, Bhavnagar, Gujarat

**Subject: Approval of Krishna Steel Product, Bhavnagar for rolling MS & HT angle sections**

Dear Sir,

This has reference to the subject matter. Based on the submitted documents and verification of rolling of 150x150x20 mm angle sections, we convey approval of M/s Krishna Steel Product, Bhavnagar for rolling MS & HT angle sections as follows **up to 31.07.2021**. Further approval shall be considered based on supply and quality performance.

SI No	Angle Grade	Section Size
1	MS-E250 & HT-E350	Equal 45x45x4 mm to 150x150x20 mm

Following points are to be ensured:

- 13) Steel billets/ blooms/ slabs are strictly from POWERGRID approved sources.
- 14) Materials shall be rolled in line with the requirement of IS 2062 / POWERGRID Specification/ approved standard reroller MQP
- 15) Proper quality system to avoid mix up of POWERGRID & non POWERGRID lots and record keeping for traceability from raw material to final product.
- 16) 'PGMS' marking shall be embossed on rolled MS angle sections and 'PGHT' marking shall be embossed on rolled HT angle sections for POWERGRID apart from your own logo at regular intervals.

Yours faithfully,

(S.K. Pandey)  
Asst. GM ( QA & I)